



MAR 29 2002

Joseph W. Schmidt
Dilworth & Barrese, LLP
333 Earle Ovington Blvd.
Iniondale, NY 11553

In re Application of
RAY

Application No.: 09/807318

PCT No.: PCT/US98/14146

Int. Filing Date: 09 July 1998

Priority Date: 09 July 1997

Attorney's Docket No.: 203-2368 PCT

For: Interbody Device And Method For Treatment
Of Osteoporotic Vertebral Collapse

:
:
: DECISION ON
:
: PETITION UNDER
:
: 37 CFR 1.137(b)
:
:

This is a decision on applicants' renewed petition under 37 CFR 1.137(b) filed on 07 January 2002.

The petition was previously dismissed on the basis that petitioner had not filed the required reply in the form of the basic national fee. The instant renewed petition was accompanied by the basic national fee. As such, the requirements of 37 CFR 1.137(b) have now been satisfied.

The petition under 37 CFR 1.137(b) to revive the application abandoned under 35 U.S.C. 371(d) is **GRANTED** with respect to the national stage in the United States of America.

This application is being returned to the United States Designated/Elected Office for further processing, including the preparation and mailing of a Notification of Missing Requirements (Form PCT/DO/EO/905) requiring the submission of an executed oath or declaration of the inventors and a surcharge under 37 CFR 1.492(e).

Leonard Smith
PCT Legal Examiner
PCT Legal Office

George M. Dombroske
PCT Legal Examiner
PCT Legal Office
Tel: (703) 308-6721
Fax: (703) 308-6459